## **Amendments to the Claims**:

said ambient light from a user;

The following listing of claims will replace all prior versions, and listings, of claims in the application:

(Currently Amended) An electronic camera comprising:
 an image pickup part for capturing an image of light passing through a phototaking lens to generate color image data;
 an ambient light colorimetric part for measuring color of ambient light without passing through said photo-taking lens;
 an operation member for receiving an instruction for a colorimetric timing of

a colorimetric calculation part for obtaining a colorimetric result from said ambient light colorimetric part in synchronization with said colorimetric timing, for calculating color gain that brings said colorimetric result near achromatic, and for storing said color gain as an amount of white balance adjustment to be carried out on an image data generated by said image pickup part; and

a white balance adjustment part for carrying out white balance adjustment of said image data with the use of said color gain stored in said colorimetric calculation part; wherein

said image pickup part, said ambient light colorimetric part, said operation.

member, said colorimetric calculation part and said white balance adjustment part are disposed in a same housing, in which said ambient light colorimetric part is disposed on a front wall of the housing.

relations between a colorimetric result of ambient light and an applicability of white balance adjustment carried out based on the colorimetric result, and

when said colorimetric result from said ambient light colorimetric part turns out to be inadequate by referring to said correspondence relations, said colorimetric calculation part carries out an abort of said white balance adjustment based on said ambient light and/or gives a warning which indicates that said ambient light is inadequate to said white balance adjustment.

- 2. (Original) The electronic camera according to claim 1, wherein said colorimetric calculation part holds a difference in spectral characteristics between said image pickup part and said ambient light colorimetric part as correction data, to correct an error occurring in said white balance adjustment in accordance with said correction data.
  - 3. (Canceled)
- 4. (Currently Amended) The electronic camera according to claim 1, further comprising
- a TTL photometric part for measuring luminance of light incident on said image pickup part, and wherein

said colorimetric calculation part compares luminance of said ambient light received by said ambient light colorimetric part with the luminance of said light incident on said image pickup part, and

when a difference in said luminance is equal to or more than a predetermined threshold value, said colorimetric calculation part carries out "anthe abort of the white balance adjustment based on the ambient light" light and/or gives "athe warning which indicates that the ambient light is inadequate to the white balance adjustment" adjustment.

5. (Currently Amended) The electronic camera according to claim 1, further comprising

a TTL colorimetric part for measuring color of light incident on said image pickup part, and wherein

said colorimetric calculation part compares the colorimetric result of said ambient light received by said ambient light colorimetric part with a colorimetric result of said light incident on said image pickup part, and

when a difference in said colorimetric results is equal to or more than a predetermined threshold value, said colorimetric calculation part carries out "anthe abort of the white balance adjustment based on the ambient light" light and/or gives "athe warning which indicates that the ambient light is inadequate to the white balance adjustment" adjustment.

- 6. (Original) The electronic camera according to claim 1, wherein said colorimetric calculation part obtains a plurality of colorimetric results of said ambient light from said ambient light colorimetric part to calculate an average value of said plurality of colorimetric results, and obtains color gain for white balance adjustment based on said average value of the colorimetric results.
- 7. (Currently Amended) The electronic camera according to claim 1, wherein said ambient light colorimetric part is disposed to orient obliquely upward on a front wall of a part of said housing in which a pentaprism is housed.